PHILIPPINE BIDDING DOCUMENTS

(As Harmonized with Development Partners)

Procurement of UPS and Wireless Access Point

ABC = One Million Three Hundred Fifty Four Thousand Pesos Only (Php 1,354,000.00)

Government of the Republic of the Philippines UNIVERSITY OF THE PHILIPPINES CEBU



Sixth Edition July 2020

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	3
	on I. Invitation to Bid	
	on II. Instructions to Bidders	
1.	Scope of Bid	
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	8
5.	Eligible Bidders	
6.	Origin of Goods	
7.	Subcontracts	
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Bidding Documents	
10.	Documents comprising the Bid: Eligibility and Technical Components	
11.	Documents comprising the Bid: Financial Component	10
12.	Bid Prices	
13.	Bid and Payment Currencies	11
14.	Bid Security	
15.	Sealing and Marking of Bids	11
16.	Deadline for Submission of Bids	12
17.	Opening and Preliminary Examination of Bids	12
18.	Domestic Preference	12
19.	Detailed Evaluation and Comparison of Bids	12
20.	Post-Qualification	
21.	Signing of the Contract	13
Sectio	on III. Bid Data Sheet	14
Sectio	on IV. General Conditions of Contract	15
1.	Scope of Contract	15
2.	Advance Payment and Terms of Payment	15
3.	Performance Security	15
4.	Inspection and Tests	15
5.	Warranty	16
6.	Liability of the Supplier	
Sectio	on V. Special Conditions of Contract	
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.



Section I. Invitation to Bid

Republic of the Philippines University of the Philippines Cebu Lahug, Cebu City BIDS AND AWARDS COMMITTEE

INVITATION TO BID FOR Procurement of UPS and Wireless Access Point

- 1. The University of the Philippines Cebu, through the GAA 2021 intends to apply the sum of One Million Three Hundred Fifty Four Thousand Pesos Only (Php 1,354,000.00) being the ABC to payments under the contract for Procurement of UPS and Wireless Access Point. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *University of the Philippines Cebu* now invites bids for the above Procurement Project. Delivery of the Goods is required by **90** (**ninety**) *days after receipt of NTP*. Bidders should have completed, within *the last year* from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from *University of the Philippines Cebu BAC Office* and inspect the Bidding Documents at the address given below from 8:00AM - 3:00PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on *June 30, 2021* from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of *Five Thousand Pesos Only (Php 2,000.00)*. The Procuring Entity shall allow the bidder to present its proof of payment for the **fees** *in person or through email.*
- 6. The University of the Philippines Cebu will hold a Pre-Bid Conference on July 9, 2021 11:00AM at the BAC Office Room 207 Admin Building, University of the Philippines Cebu Gorordo Avenue, Lahug Cebu City and/or through video

conferencing or webcasting *via* **Zoom** Meeting ID: 843 8017 1587 Passcode: UPCBAC2021, which shall be open to prospective bidders.

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before *July 23, 2021 11:00AM*. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on July 23, 2021 11:00AM at the given address below BAC Office Room 207 Admin Building, University of the Philippines Cebu Gorordo Avenue, Lahug Cebu City. Zoom Meeting ID: 864 5572 0084 Passcode: UPCBAC2021. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *University of the Philippines Cebu* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

Bids and Awards Committee through Marlon Ubaldo/ BAC Secretariat Chair UP Cebu, Lahug, Cebu City Tele/Fax No. 032-233-3497 Contact's email add: bac_sec.upcebu@up.edu.ph

12. You may visit the following websites:

For downloading of Bidding Documents:

https://l.facebook.com/l.php?u=https%3A%2F%2Fwww.upcebu.edu.ph%2Finvitatio n-to-bid-procurement-of-ups-and-wireless-accesspoint%2F%3Ffbclid%3DIwAR13PchLTmqkdX4Q9-Dtl5SFa3770Re2x0ZbkVlHEdexoFWufT2syUVtYA&h=AT36dFeF1USL4mRKgNbavQ3b-S8zVXATcddKgqRiIeEnnAKEhMMm3RG8XQbQKd9TMWXGOLjAU0GUXqyI0 dPOUpYFbwtQy2jZJV0oDjfpLNfYGget_Ydg-yAuZ-fqZ9pPxes

June 28, 2021

Lorel S. Dee,M.D. BAC Chair

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *University of the Philippines Cebu* wishes to receive Bids for the *Procurement of UPS and Wireless Access Point*, with identification number *PB-G-2021-003*.

The Procurement Project (referred to herein as "Project") is composed of *three lots* the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the amount of One Million Three Hundred Fifty Four Thousand Pesos Only (Php 1,354,000.00).
- 2.2. The source of funding is: NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.

5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time at its physical address and through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within *the last year* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in: Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until *November 18, 2021*. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the

2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

19.4. The Project shall be awarded as follows:

One Project having several items, which shall be awarded as separate contracts per item.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB		
Clause		
5.3	 For this purpose, contracts similar to the Project shall be: a. Supply and delivery of UPS and/or access points b. completed within <i>the last year</i> prior to the deadline for the submission and receipt of bids. 	
7.1	Subcontracting is not allowed	
12	The price of the Goods shall be quoted DDP <i>University of the Philippines Cebu</i> , <i>Lahug Cebu City</i> or the applicable International Commercial Terms (INCOTERMS) for this Project.	
14.1	 The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than <i>Twenty Seven Thousand Eighty Pesos (Php 27,080.00)</i>, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than <i>Sixty Seven Thousand Seventy Pesos (Php 67,070.00)</i> if bid security is in Surety Bond. 	
19.3	The project will be awarded as three lots	
20.1	No additional requirements.	

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section IV** (**Technical Specifications**) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes. All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	"The delivery terms applicable to the Contract are DDP delivered University of the Philippines Cebu Gorordo Ave. Lahug Cebu City. In accordance with INCOTERMS."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is Mr. Belly Salinas UP Cebu ITC
	Incidental Services
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	performance and supervision of on-site installation and/or start-up of the supplied Goods with demo on the use of the Goods supplied
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	Spare Parts –
	The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
	such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract
	The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of one year .
Spare parts or components shall be supplied as promptly as possible, but in any case, within three months of placing the order warranty obligations under this Contract;
 Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit. The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
Transportation –
Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

 presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination. Not applicable.
until their receipt and final acceptance at the final destination.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Delivered weeks/ months
1	2 units 5000 VA Smart Uninterruptible Power Supply	90 days
2	4 units 1000 VA Smart Uninterruptible Power Supply	90 days
3	5 units wireless Access Point MI-MO with Adder License	90 days

Section VII. Technical Specifications

Item	Specifications	Statement of compliance
1		
	2 units Smart Uninterruptible Power Supply 5000VA Php262,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Inclusions: *Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web/SNMP management card * electrical provisioning for input power source using prescribed electrical materials. Additional specification High density Number of tare power: 78 W Physical: Colour Black Depth 71.94 Cm Height 43.2 Cm	
	Mounting location Front Net weight 54.43 Kg Mounting mode Rack-mounted with kit USB compatible Yes Width 13 Cm Input Network frequency: 4070 Hz auto-sensing Number of Input connectors: 1 hard wire 3-wire (1P + N + E) Input voltage limits: 100275 V adjustable (half load) 160275 V Input voltage: 230 V Output	

Rated power in W: 4500 W Maximum configurable power in W: 4500 W Harmonic distortion Less than 2 % Output frequency 50/60 Hz +/- 3 Hz sync to mains Outputvolt_other: 220 V 240 V Crest factor 3 : 1 UPS type Double conversion online Wave type Sine wave Nb of power socket outlets: 6 x IEC 60320 C13 2 x IEC Jumpers 4 x IEC 60320 C19 Bypass type Internal bypass: (automatic and manual) Curve equation Efficiency Curve fixed loss 0.0142 Curve load maximum 100 % Curve load minimum 2 % Curve proportional loss 0.0236 Curve square loss 0.0247 Curve X-axis maximum 100 % Curve test cond ID Curve fit of data measured in accordance with the ENERGY STAR Test Methodfor Uninterruptible Power Supplies. All measurements taken in normal mode(s), at typical environmental conditions, with 230V/50Hz electrical input and balanced resistive load (PF = 1.0) output. Curve X-axis minimum 0 % Curve X-axis title Load Curve X-axis units Percentage

Curve Y-axis maximum 100 % Curve Y-axis minimum 50 % Curve Y-axis title Efficiency Curve Y-axis units Percentage Graph display :1 Output voltage: 230 V Maximum configurable power in VA: 5000 VA Rated power in VA: 5000 VA Conformance Product certifications CE, EAC, IRAM, RCM, VDE Standards: EN/IEC 62040-1, EN/IEC 62040-2 Environmental Ambient air temperature for operation 0...40 °C Relative humidity 0...95 % non-condensing Operating altitude 0...10000 ft Ambient air temperature for storage -15...45 °C Storage Relative Humidity Non-condensing 0...95 % Storage altitude 0.00...15240.00 M Acoustic level 55 dBA Heat dissipation 931 Btu/H IP degree of protection IP20 **Batteries & Runtime** Battery type: Lead-acid battery Number of battery filled slots: 2 Battery recharge time: 1.5 H

Number of battery replacement quantity: 1. Battery vortage: 192 V Battery vorte: 0 Battery vorte: 1 Battery vorte: 2 Battery vorte: 2 Communications & Management Forse loss 1 Control panel Multifunction LCD status and control console Autery vorte: 1 Control panel Multifunction LCD status and control console Auter divisible alarms prioritized by severity Battery energy rate: 400 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery Auters Smart Uninterropytible Power Supply 1000/X Pp113,500.04/unit Auters Smart Uninterropytible Power Supply 1000/X Pp113,500.04/unit Auters Smart Uninterropytible Power Supply 1000/X Pp113,500.04/unit Presentation: High dividied equipment cells, Emprendure probe, USB calable vortiont of Loss Label Power Supply 1000/X Pp113,500.04/unit Presentation: High dividied equipment cells, Temperature probe, USB calable, Warranty (ard, Yee) / SNMP management cells Pp114 Maximum Height B5MM, 8.5CM Maximum Height B5MM, 8.5CM		
Battery voltage: 192 V Battery curve: D Battery charger power: 560 W rated Battery power in VAH: 845 VAh runtime Battery life: 35 Year(5) Communications & Management Free slots 1 Control panel Multifunction LCD status and control console Aiarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge energy rate 480 J Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Php113,500.00/unit Presentation:: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Instalation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical Physical	A CARACTER AND A CARA	
Battery voltage: 192 V Battery curve: D Battery charger power: 560 W rated Battery power in VAH: 845 VAh runtime Battery power in VAH: 845 VAh runtime Battery life: 35 Year(S) Communications & Management Free slots 1 Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Indusions: Provided equipment CD with software, Communication cable, Documentation CD, Instalation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNIMP management card Physical		
Battery voltage: 192 V Battery curve: D Battery charger power: 560 W rated Battery power in VAH: 845 VAh runtime Battery power in VAH: 845 VAh runtime Battery life: 35 Year(S) Communications & Management Free slots 1 Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Indusions: Provided equipment CD with software, Communication cable, Documentation CD, Instalation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNIMP management card Physical		
Battery curve: D Battery charger power: S60 W rated Battery power: S60 W rated Battery power in VAH: 845 VAh runtime Battery life: 3 5 Year(5) Communications & Management Free slots 1 Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SIMP management card	Number of battery replacement quantity: 1	
Battery charger power: 560 W rated Battery power in VAH: 845 VAh runtime Battery life: 35 Year(5) Communications & Management Free slots 1 Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation:: High density, double-conversion on-line power protection with scalable runtime. Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SMMP management card Physical	Battery voltage: 192 V	
Battery power in VAH: 845 VAh runtime Battery life: 35 Year(S) Communications & Management Free slots 1 Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Indusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card	Battery curve: D	
Battery life: 35 Year(S) Communications & Management Free slots 1 Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Indusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card	Battery charger power: 560 W rated	
Communications & Management Free slots 1 Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card	Battery power in VAH: 845 VAh runtime	
Free slots 1 Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation:: High density, double-conversion on-line power protection with scalable runtime. Inclusions:: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card	Battery life: 35 Year(S)	
Control panel Multifunction LCD status and control console Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 	Communications & Management	
Alarm Audible and visible alarms prioritized by severity Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery	Free slots 1	
Emergency power off: Yes Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation:: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical	Control panel Multifunction LCD status and control console	
Surge Protection and Filtering Surge energy rate 480 J Warranty: 3 years repair or replace (excluding battery) and 2 years for battery	Alarm Audible and visible alarms prioritized by severity	
Surge energy rate 480.1 Warranty: 3 years repair or replace (excluding battery) and 2 years for battery ************************************	Emergency power off: Yes	
Warranty: 3 years repair or replace (excluding battery) and 2 years for battery Warranty: 3 years repair or replace (excluding battery) and 2 years for battery Warranty: 3 years repair or replace (excluding battery) and 2 years for battery Warranty: 3 years repair or replace (excluding battery) and 2 years for battery Warranty: 3 years repair or replace (excluding battery) and 2 years for battery Warranty: 3 years repair or replace (excluding battery) and 2 years for battery 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical	Surge Protection and Filtering	
4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit 4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical	Surge energy rate 480 J	
4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical	Warranty: 3 years repair or replace (excluding battery) and 2 years for battery	
4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical		
Technical Specifications: Presentation: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical	*********************	
Presentation: High density, double-conversion on-line power protection with scalable runtime. Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical	4 units Smart Uninterruptible Power Supply 1000VA Php113,500.00/unit	
Inclusions: Provided equipment CD with software, Communication cable, Documentation CD, Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical	Technical Specifications:	
Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP management card Physical	Presentation: High density, double-conversion on-line power protection with scalable runtime.	
	Installation guide, Removable support feet, Temperature probe, USB cable, Warranty card, Web / SNMP	
Maximum Height 85MM, 8.5CM	Physical	
	Maximum Height 85MM, 8.5CM	

Maximum Width 432MM, 43.2CM Maximum Depth 505MM, 50.5CM Rack Height 2U Output Output power capacity: 1.0kWatts / 1.0kVA Max Configurable Power (Watts): 1.0kWatts / 1.0kVA Nominal Output Voltage: 230V Output Voltage Distortion: Less than 2 % Output Frequency (sync to mains): 50/60 Hz +/- 3 Hz Sync to mains Other Output Voltages: 220 V, 240 V Load Crest Factor 3 : 1 Topology: Double conversion online Waveform type: Sine wave Output Connections (6) IEC 320 C13 (6) IEC 60320 C13 Bypass: Built-in bypass Input Nominal Input Voltage: 230V Input frequency: 40 - 70 Hz Auto-sensing Input Connections BS1363A British, IEC 60320 C14, Schuko CEE 7 / EU1-16P Cord Length 1.8meters Input voltage range for main operations 50 - 150 40% load, 80 - 150V Batteries & Runtime Battery type Lead-acid battery Included Battery Modules 1

Typical recharge time 3hour(s) Nominal Battery Voltage 48 V Expected Battery Life (years) 3 - 5 Battery Charge Power (Watts) 97 Watts Extendable Run Time 1 **Communications & Management** Interface Port(s) RJ-45 Serial, Smart-Slot, USB Pre-Installed SmartSlot[™] Cards AP9631 (Available in Technical Tab on site) Control panel Multifunction LCD status and control console Audible Alarm Audible and visible alarms prioritized by severity Emergency Power Off (EPO) Yes Surge Protection and Filtering Surge energy rating 432Joules Net Weight 21.0KG Environmental Operating Temperature 0 - 40 °C Operating Relative Humidity 0 - 95 (Non-condensing) % Operating Elevation 0 - 3048meters Storage Temperature -20 - 50 °C Storage Relative Humidity 0 - 95 (Non-condensing) % Storage Elevation 0 - 15240meters Audible noise at 1 meter from surface of unit 50.0dBA Online thermal dissipation: 317.0BTU/hr

	Protection Class: IP20	
	Conformance: Approvals CE, EAC	
	Warranty: 3 years repair or replace (excluding battery) and 2 years for battery	
	5 units Wireless Access Point MI-MO with adder license Php75,000.00/unit	
3	Technical Specifications:	
-	General: Dual-band,POE-based, controller-based 802.11a/g/n/ac, compatible with existing WLC 2504 and 3504	
	Includes: one license adder per access point, low-profile ceiling mounting bracket, capwap software image	
	Frequency band and 20-MHz operating channels K (K regulatory domain):	
	 – 2.412 to 2.472 GHz; 13 channels – 5.180 to 5.320 GHz; 8 channels 	
	– 5.500 to 5.620 GHz; 7 channels – 5.745 to 5.805 GHz; 4 channels Antenna: Internal Antenna	
	Features 4×4 MU-MIMO with three spatial streams	
	– MRC – 802.11ac Beamforming	
	– 20-, 40-, 80, 160-MHz channels – PHY data rates up to 5.2 Gbps – Packet aggregation: A-MPDU (Tx/Rx), A-MSDU (Tx/Rx)	
	– 802.11 DFS – CSD support	
	Interfaces - 2 x 100/1000BASE-T autosensing (RJ-45)	
	 Management console port (RJ-45) USB 2.0 (enabled via future software) System memory 	
	– 1024 MB DRAM – 256 MB flash	
	Dimensions (W x L x H) 8.66 x 8.68 x 2.17 in.	
	Net Weight 3.53 lb (1.6 kg)	
	Warranty: minimum Standard warranty	
	Warranty requirement is	
	3 years repair/ replacement of parts (excluding battery)	
	2 years warranty for battery	
	nothing follows	

Section VIII. Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

<u>and</u>

-] (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
 - and
- (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

<u>or</u>

Original copy of Notarized Bid Securing Declaration; and

- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS);
 and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**

- (1) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);
 - or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

-] (n) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

25 FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; and
- (b) Original of duly signed and accomplished Price Schedule(s).

